



1800 23 CCTV | [draintechaustralia.com.au](http://draintechaustralia.com.au) | [info@draintechaustralia.com.au](mailto:info@draintechaustralia.com.au)

# EQUIPMENT & TECHNOLOGY






## CCTV TECHNOLOGY AND EQUIPMENT

### CCTV INSPECTION UNIT & RAUSCH MOBILE PRO


- Equipped with an integrated touchscreen Panel PC
- Controlled by touch screen display and advanced multifunction joysticks
- 300m of cable length
- 2019/20/21/23 Renault Master Van
- Inclination and laser measurement/ profiling
- Wincan VX reporting software and technology
- WSAA certified/ qualified staff
- Electronic brake and self-camera retrieval
- 100% solar powered equipment with green power saving technology
- Back screen live video monitor viewing
- Lifting winch to eliminate any heavy lifting
- Full range of CCTV inspection 100mm – 3M+
- Pipe size verification laser measurement
- Internet ready access on all PC's



## POWERED BY SOLAR ENERGY



## CAMERA'S AND TRACTORS



### Rausch L 135 & KS135 camera tractor

#### SPECIFICATIONS

- Pipe range 150mm > 3m+
- 300m of cable length
- Inclination fall and tilt sensors
- In built laser profiler measurement technology
- Pipe size verification
- Robotic 360° tractor mounted camera
- Centre of pipe 1800mm
- Skid steer technology
- Electronic lift
- Extra lift kit and wheel balance technology
- Extra lighting for large pipes
- Locating sonde for deflection, alignment and defect locating
- Steerable 4WD robotic tractor
- Remotely operated in vehicle unit



### Rausch L 90 & KS60DB camera tractor

#### SPECIFICATIONS

- Pipe range 100mm > 600mm
- 300m of cable length
- Inclination fall and tilt sensors
- In built laser profiler measurement technology
- Robotic 360° tractor mounted camera
- Skid steer technology
- Tractor lift
- Wheel balance technology
- Light weight
- Extra lighting for large pipes
- Steerable 6WD robotic tractor
- Locating sonde for deflection, alignment and defect locating
- Remotely operated in vehicle unit





## CCTV FLOAT | PUSH CAMERA | DRAIN CLEANING + CCTV INSPECTIONS

### CCTV Rausch Camera Float

#### SPECIFICATIONS

- Pipe range 600mm > 3m+
- 300m of cable length
- Able to CCTV pipes that are permanently holding water/ tidal influenced
- Robotic 360° tractor mounted camera
- Electronic lift
- Extra lighting for large pipes
- Remotely operated in vehicle unit



### Push Camera

#### SPECIFICATIONS

- Pipe range 50mm > 100mm
- 100m of cable length
- CCTV pipes that are in remote area
- Hard silicone cable for pushing around pipe bends
- Locating sonde
- Extra lighting for large pipes
- Remotely operated with live video screen
- Battery powered and operated



### 4x4 Remote Access Unit

#### SPECIFICATIONS

- Pipe range 100mm > 3m+